

Yiwu Xishun E-Business Firm



Add: F5-19823, 5th Floor, Gate 29, District 2, Yiwu int'l Trade City, yiwu, Zhejiang Province, China.

Website: <http://www.pprpipefittings.com> <http://www.cnbuyingagent.com>




Name: Jack YOUNG Email: xspipefittings@163.com Mob/Whatsapp: 0086-13606566995 QQ: 359934365 Skype/wechat: jackyang535

Name: Robin Hao Email: xspipefittings@126.com Mob/wechat/Whatsapp: 008615825783012 QQ: 403398859

HDPE Waste and Drainage System fittings

Ename	picture	specification	Packing	RMB/PC
Eccentric reducer		63*50	500	1.21
		63*56	500	1.30
		75*50	400	1.38
		75*56	400	1.43
		75*63	400	1.51
		90*50	308	1.81
		90*56	308	1.81
		90*63	308	1.84
		90*75	308	1.84
		110*50	220	2.33
		110*56	200	2.59
		110*63	220	2.68
		110*75	220	2.70
		110*90	220	2.89
		125*75	165	3.67
		125*90	165	3.76
		125*110	165	3.97
		160*75	80	5.18
		160*90	100	5.18
		160*110	100	5.40
		160*125	100	5.83
		200*90	48	11.66
		200*110	48	12.53
		200*125	43	13.82
		200*160	40	15.55
		250*110	30	22.46
		250*125	30	24.19
		250*160	30	25.92
250*200	30	28.08		
315*160	14	42.12		
315*200	14	44.06		
315*250	14	45.79		
				0.00
45° Elbow with inspection		50		4.32
		75		5.62
		110	84	10.15
		160	36	19.66
				0.00
				0.00
				0.00
		50	360	1.17
		63	300	1.73
		75	165	2.51







90° Elbow		90	100	4.75
		110	84	6.26
		125	54	9.29
		160	32	15.77
		200	16	29.59
		250	8	54.00
		315	4	89.86
				0.00
				0.00
90° Elbow		50	550	1.08
		56	300	1.30
		63	300	1.84
		75	250	2.29
		90	180	4.54
		110	90	6.26
		125	64	9.72
		160	30	15.66
		200	16	28.08
				0.00
				0.00
45° Elbow		50	500	1.04
		56	300	1.30
		63	300	1.62
		75	250	1.94
		90	150	3.46
		110	80	4.75
		125	64	7.56
		160	36	14.26
		200	21	25.92
		250	11	46.66
		315	5	75.60
				0.00
				0.00
		50*50*50	246	2.81
		56*56*56	192	3.13
		63*50*63		3.24
		63*63*63	126	3.35
		75*50*75	126	3.46
		75*63*75	108	3.56
		75*75*75	90	5.18
		90*50*90	81	6.05
		90*63*90	72	6.48
		90*75*90	75	6.91
		90*90*90	50	7.78
		110*50*110	72	7.99
		110*63*110	72	8.64
		110*75*110	66	9.18
		110*90*110	38	11.23
110*110*110	36	13.82		

Oblique Tee		125*75*125	48	14.58
		125*90*125	32	15.12
		125*110*125	30	15.55
		125*125*125	26	17.28
		160*75*160	30	20.52
		160*90*160	22	25.06
		160*110*160	20	26.78
		160*125*160	20	28.51
		160*160*160	12	32.83
		200*75*200	21	28.08
		200*90*200	14	32.40
		200*110*200	14	34.56
		200*125*200	14	38.02
		200*160*200	9	43.63
		200*200*200	7	54.00
		250*90*250	10	60.48
		250*110*250	10	60.48
		250*125*250	8	62.64
		250*160*250	8	69.12
		250*200*250	4	120.96
		250*250*250	4	138.24
		315*110*315	4	129.60
		315*125*315	4	138.24
		315*160*315	4	155.52
		315*200*315		237.60
		315*250*315		280.80
		315*315*315		324.00
Double Y-branch		110*110	18	21.60
		160*110	12	36.72
				0.00
				0.00
				0.00
			0.00	
Branch 88.5° Swept Entry		50*50	272	2.81
		75*50	147	3.46
		75*75	117	3.67
		90*50	114	5.18
		90*90	90	5.62
		110*50	108	6.48
		110*75	72	7.34
		110*110	63	9.07
		125*75	51	11.23
		125*110	51	11.66
		160*75	30	12.96
		160*110	30	18.14
		160*160	20	23.76
		200*110	16	28.08
		200*160	14	33.70


		200*200		14		36.29	
						0.00	
PE expansion socket		50		180		6.05	
		75		90		7.34	
		90		56		11.66	
		110		40		12.96	
		125		30		21.60	
		160		24		25.92	
		200		12		43.20	
		250		10		129.60	
						0.00	
						0.00	
Horizontal floor drain (big)		50 (普通)		30		17.28	
		50 (机用)		30		18.36	
							0.00
							0.00
							0.00
							0.00
Vertical floor drain		50 (普通)		72		12.96	
		50 (机用)		72		13.18	
		75 (机用)		36		33.70	
		110 (机用)		36		34.56	
							0.00
					0.00		
					0.00		
Horizontal floor drain		50 (普通)		72		12.96	
		50 (机用)		72		13.18	
							0.00
							0.00
							0.00
					0.00		
Aerator(sov ent fittings)		110		7		77.76	
						0.00	
						0.00	
						0.00	
						0.00	
						0.00	
						0.00	
						0.00	
					0.00		
Double flange bushing		75				4.75	
		90				6.48	
		110				8.64	
		125				10.80	
		160				16.42	
		200				22.46	
		250				32.40	
					0.00		


						0.00
						0.00
PE double branchball fitting 88.5°, connections 90° offset		110 (injection)		33		20.74
						0.00
		160 (welding)		6		77.76
						0.00
						0.00
旋流器		110 (1)		10		56.16
		110 (2)		10		56.16
		75		37		30.24
						0.00
						0.00
						0.00
						0.00
						0.00
H pipe fittings		110*110		20		38.88
		110*75		30		34.56
						0.00
						0.00
						0.00
Check Tee		50				5.94
		63				7.02
		75		120		7.56
		90		100		12.42
		110		54		15.12
		125		48		20.52
		160		30		28.08
		200		16		43.20
						0.00
Clean-out		50				5.18
		75				6.05
		90		100		6.91
		110		100		8.64
		125		80		9.50
		160		50		19.01
		200		50		21.60
						0.00
Vent cap		50				1.08
		75				1.73
		110				3.67
		160				5.83


						0.00	
						0.00	
						0.00	
SS plate check tee		75				19.01	
		90				25.06	
		110				35.42	
		125				41.04	
		160				51.84	
		200				73.44	
		250				103.68	
							0.00
						0.00	
						0.00	
SS plate clean-out		90				17.28	
		110				19.44	
		125				21.60	
		160				25.92	
		200				34.56	
							0.00
						0.00	
						0.00	
Plug		50				1.08	
		75				1.73	
		110				3.67	
		160				5.83	
							0.00
						0.00	
Bottle Neck Tee		110*50		63		10.15	
		110*75		63		10.58	
							0.00
							0.00
							0.00
						0.00	
collector		110				12.96	
						0.00	
							0.00
							0.00
							0.00
						0.00	
P-trap		50		100		8.64	
		75		36		19.44	
		110		15		43.20	
							0.00
							0.00
							0.00
S-trap		50		100		8.64	
		75		36		19.44	
		110		15		43.20	
							0.00
							0.00
						0.00	


P-Trap with inspection		50		100		9.50
		75		36		20.74
		110		15		44.93
						0.00
						0.00
						0.00
						0.00
S-trap with inspection		50		100		9.50
		75		36		20.74
		110		15		44.93
						0.00
						0.00
						0.00
						0.00
90° elbow with inspection		50				4.54
		63				5.83
		75				6.70
		90				8.64
		110				11.88
		125				15.12
		160				20.74
		200				30.24
						0.00
U-Trap with inspection		50				6.05
		63				6.91
						0.00
Electric fusion belt		75				5.18
		90				5.62
		110				6.48
		125				7.34
		160				9.94
		200				12.96
		250				14.69
		315				19.87
						0.00
Electro-fusion sleeve Coupling		50		400		4.32
		56				4.75
		63		350		4.75
		75		280		5.62
		90		180		6.91
		110		162		9.50
		125		125		12.96
		160		70		17.28
		200		40		23.76


		250		25		62.64
		315				108.00


Reducing Coupling		75*50				10.58
		110*50				13.82
		110*75				14.00
		160*110				28.08

45° Elbow		50				7.26
		75				11.92
		110				16.33
		160				32.40
		200				

90° Elbow		50				9.33
		75				12.27
		110				19.35
		160				36.72
		200				

Y Tee		50*50				10.71
		75*50				13.48
		75*75				14.69
		110*50				19.01
		110*75				21.25
		110*110				24.36

Swerve Tee		50*50				11.23
		75*50				13.31
		75*75				14.17
		110*50				19.01
		110*75				19.87
		110*110				22.29
		160*110				43.20
		200*110				

Pipe check		50				14.69
		75				17.28
		110				28.51
		160				56.16
		200				